

AUG-22-2003 FRI 10:06 AM BIO CHEMISTRY

FAX NO. 3186755180

P. 02

Customer No. 26874  
PATENT TRADEMARK OFFICEIN THE UNITED STATES PATENT & TRADEMARK OFFICE

Appl. No. : 09/916,017 Confirmation No. 8138  
Applicants : DeBenedetti, Arrigo, *et al*  
Filed : July 26, 2001  
Title : CANCER GENE THERAPY BASED ON TRANSLATIONAL CONTROL OF A  
SUICIDE GENE  
TC/A.U. : 1635  
Examiner : J. Angell  
Docket No. : 101611/507550  
Customer No. : 26874

SUPPLEMENTAL DECLARATION UNDER 37 CFR 1.132

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

This declaration under 37 CFR Sec. 1.132 is supportive of the Amendment and Response filed herewith. I, Arrigo DeBenedetti, declare and say:

1. That I am familiar with the above-identified patent application Ser. No. 09/916,017, that I am familiar with the following references: Shimogori *et al.* (BBRC Vol. 223:544-548; 1996) and Kashiwagi *et al.* (BBRC Vol. 178:815-822; 1991).
2. That the plasmid called ODC-TK in the Shimogori paper is derived from a plasmid called pODC188 as described in the Kashiwagi reference (BBRC Vol. 178:815-822; 1991). This plasmid contains an mRNA open reading frame preceded by a 188 nucleotides of the 5'UTR of the ODC mRNA. The structure is the same as discussed in the previous declaration by DeBenedetti and is in fact described on page 820 of the Kashiwagi reference.
3. That the particular region of ODC described by the Shimogori *et al.* reference does not provide the appropriate level of stability ( $\Delta G \geq$  about 50 Kcal/Mol) to selectively regulate translation of the open reading frame and is insufficient to confer regulation by the level of eIF4E since the construct would have been translated well in the *absence* of polyamines. The full 5'UTR of the ODC mRNA has over 350 nucleotides in length and is capable of being regulated by eIF4E. Therefore, the 5'UTR of the ODC mRNA is that portion of the mRNA that is capable of forming the proper stability in conformation and is regulatable by eIF4E.
4. That the free energy " $\Delta G$ " is the free energy of an oligonucleotide, which is a measurement of an oligonucleotide duplex stability. The strength ( $\Delta G$ ) of the resulting

AUG-22-2003 FRI 10:07 AM BIO CHEMISTRY

FAX NO. 3186755180

P. 03

Appl. No. 09/916,017  
Amdt. dated Friday, August 22, 2003  
Reply to Telephonic Conferences of August 19 & 20, 2003  
Declaration under 37 CFR Sec. 1.132

complexes is measured by thermal denaturation or duplex melting. The  $\Delta G$  can either be expressed as a negative or a positive number depending upon whether you are looking at the stability as a measurement of free energy stored in the structure (negative) or free energy required to melt the duplex (positive). Energy must be released overall to form a base-paired structure, and a structure's stability is determined by the amount of energy it releases. When free energy stored in the structure is a negative value, then the complex formed is in the thermodynamically stable form. Predicted enthalpy, entropy and free energy of duplex formation -- the enthalpy ( $\Delta H$ ), entropy ( $\Delta S$ ), and free energy ( $\Delta G$ ) -- are thermodynamic state functions, related by the Gibbs equation:

$$\Delta G = \Delta H - T\Delta S \text{ (at constant temperature and pressure)}$$

where  $T$  is the temperature in degrees K. In practice, the enthalpy and entropy are predicted via a thermodynamic model of duplex formation and used to calculate the free energy and melting temperature.

5. That the predicted free energy of an oligonucleotide that contains self-complementary sequences that can form intramolecular secondary structures is calculated as the most stable intramolecular structure of an oligonucleotide. "Secondary structure" refers to regions of a nucleic acid sequence that, when single stranded, have a tendency to form double-stranded hairpin structures or loops. Nucleic acids can be evaluated for their likely secondary structure by calculating the predicted  $\Delta G$  of folding of each possible structure that could be formed in a particular strand of nucleic acid. Computer programs exist that can predict the secondary structure of a nucleic acid by calculating its free energy of folding. One example is the MFOLD program.

6. That the  $\Delta G$  as referred to in the specification and claims is given in absolute energy change value and is evident from the context by one skilled in the art. When expressed as a folded state free energy (a negative number), the more negative the  $\Delta G$  (i.e., the lower the free energy), the more stable that structure is and the more likely the formation of that double-stranded structure. The stability of a secondary structure is quantified as the amount of free energy released or used by forming base pairs or the input energy required to melt such secondary structure, which in the present case would have to be  $\geq 50$  Kcal/Mol. It would be obvious to one skilled in the art that the present description describes the required to melt the secondary structure since a structure having a positive free energy requires work to form a configuration and hence would be unstable and not form the required structure. Negative free energies release stored work. When quantified as the amount of free energy released or used by forming base pairs, the more negative the free energy of a structure, the more likely is formation of that structure, because more stored energy is released.

7. That for clarity's sake, the stability of the oligonucleotides of the present invention can be described as "wherein the untranslated sequence further comprises a hairpin secondary structure conformation having a stability measured as folded state free energy of  $\Delta G \leq$  about -50 Kcal/Mol" instead of in terms of absolute energy change.

AUG-22-2003 FRI 10:07 AM BIO CHEMISTRY

FAX NO. 3186755180

P. 04

Appl. No. 09/916,017  
Amdt. dated Friday, August 22, 2003  
Reply to Telephonic Conferences of August 19 & 20, 2003  
Declaration under 37 CFR Sec. 1.132

8. I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Further declarant sayeth not.

Arrigo DeBenedetti  
Arrigo DeBenedetti

8-22-03  
Date

CinLibrary/1319752.1

OFFICIAL

RECEIVED  
CENTRAL FAX CENTER

SEP 15 2003